

AN EFFECTIVE & ROBUST HORTICULTURAL LED INTERLIGHT

For Supplemental Lighting Between High-Wire Crops









ODYSSEY 100







The Odyssey 100 is an effective and robust LIGHT OUTPUT horticultural LED grow light ideal to add supplemental lighting between high-wire crops.

Manufactured in the UK using the latest in LED **ELECTRICAL** technology and housed in a robust 2500mm linear extrusion it is built to last. Additionally, encapsulation in chemically inert resin gives this luminaire an IP65 rating, meaning water ingress from jet washing and spraying is a thing of the past.

A removable power supply allows input voltages in the range of 180 to 528 VAC. Suspension is via an additional wire mounting kit available upon request.



LED Colour	See spectra options			
PPE	upto 3.19 (SO) or 3.05 (HO) μmol/J			
PPF	upto 239 (SO) or 348 (HO) µmol/s			
Beam Angle	120° x 2 each side			


Power Option	75 W (SO) or 114 W (HO)				
Input Voltage	180 to 528 VAC				
Connection type	Trailing Lead				
Dimmable	No				
PF	>0.98 @ 230 VAC >0.93 @ 480 VAC				

(SO) = Standard Output (HO) =High Output


PHYSICAL & ENVIRONMENTAL

Finish	Anodised aluminium		
Length options	2500mm		
Storage Temp	-30°C to 85°C		
Operating Temp	-10°C to 40°C		
IP Rating	IP65		
Cable Exit/Entry	End		
Weight	9.2 kg		

Vertically Urban run regular development cycles, continuously optimising and balancing product specifications to best suit our customers. All information therefore, is intended as a guide and specifications may change on occasion without notice or announcement. Technical data is measured under controlled conditions, expected performance is within +/- 10% of advertised figures, Information provided is intended as a description of the product and shall not be used in the form of any contract.









ODYSSEY 100







SPECIFICATIONS

Part No.	Product Code	Power (W)	Spectrum	PPF (μmol/s)	PPE (μmol/J)
015082	VU-ODYSSEY-100-OD01-2500mm-SO-IP65	75	OD01	239	3.19
016973	VU-ODYSSEY-100-OD01-2500mm-HO-IP65	114	OD01	348	3.05

ACCESSORIES

Part No. Product Code


016857 VU-MOUNTING-KIT-ODYSSEY-UNIVERSAL-CABLE

DIMENSIONS

Odyssey 100 Luminaire				
	2500mm	78mm	89mm	
89.00mm		Ж)()	
9 5 9				[9:2.7/14"]
[0'-3 1/16"] 78.00mm	-			[8'2-7/16"] 2500.00mm








SPECTRUM PHOTON DISTRIBUTION


	Blue PF	Green PF	Red PF	Far Red PF
OD01	11%	0%	89%	0%

LIGHT DISTRIBUTION















LIGHTING THE FARMS OF THE FUTURE



CONTACT DETAILS

VERTICALLY URBAN

Typhoon House Moxon Way Leeds West Yorkshire LS25 6FB United Kingdom



hello@verticallyurban.com



+44(0)113 322 6459



verticallyurban.com

